

HPD UNIQUE IDENTIFIER: 27453

CLASSIFICATION: 09 91 23 Interior Painting

**PRODUCT DESCRIPTION:** PPG Copper Armor with Corning® Guardiant® technology is an interior paint that kills 99.9% of Viruses and Bacteria\* on the painted surface. Providing a continuous barrier against viruses and bacteria, Copper Armor is great for commercial spaces like healthcare facilities, senior living centers, education facilities, hotels, retail, and multi-family, as well as in residential applications. This product provides excellent paint characteristics such as durability and hide, while continuously killing viruses and bacteria for up to 5 years\*\*. PPG Copper Armor is a premium paint and primer in one that provides a mildew resistant coating and is formulated without VOCs\*\*\*. This product is only intended to supplement current sanitation and disinfection practices. It is not meant for use as a replacement for EPA-registered disinfectants. Continue any regular cleaning and/or disinfection practices currently in place. \*Kills 99.9% of S. aureus (Staph), P. aeruginosa, K. aerogenes as well as MRSA, Enterococcus faecium, E. coli O157:H7, Salmonella enterica and viruses Norovirus (Feline calicivirus) and SARS-CoV-2 within 2 hours of exposure when used as part of a comprehensive infection control program for up to 5 years. \*\*If cleaning is needed, bleach-based or peroxide based cleaners are recommended to maintain the antiviral and antibacterial performance of the paint. Using quaternary ammonium-based cleaners to clean the painted surface can reduce the antiviral and antibacterial effectiveness of the coating. Do not use quaternary ammonium products to clean the painted surface. \*\*\*The base paint is formulated without VOCs. Colorants added to this base paint may increase VOC level significantly depending on color choice.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	---

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**COPPER ARMOR INTERIOR LATEX EGGSHELL 29-1310** [ **WATER** **BM-4** ]

**TITANIUM DIOXIDE** **LT-1** | CAN | END **BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)** **LT-UNK** **NEPHELINE SYENITE** **LT-UNK** **2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE** **LT-UNK** **DIATOMACEOUS EARTH [WHICH CONTAINS 0.1% OR MORE OF CRYSTALLINE SILICA] (PRIMARY CASRN IS 61790-53-2)** **LT-P1** | CAN **TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)** **LT-UNK** **UNDISCLOSED** **LT-P1** **COPPER(II) OXIDE** **LT-P1** | MUL | AQU **C12-14 SEC-PARETH-7** **LT-P1** **SILICON DIOXIDE** **BM-1** | CAN **ALUMINUM HYDROXIDE, DRIED** **BM-2** **SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346** **LT-P1** | CAN **FRITS, CHEMICALS** **LT-P1** | MUL **HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIAMINE, -HYDRO--HYDROXYPOLY(OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-(DIMETHYLAMINO)ETH** **LT-UNK** **METHACRYLIC ACID - METHYL**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Substances representing 99.8% of the product weight meet the 1000ppm Threshold and are Screened.

METHACRYLATE COPOLYMER (1:1 MW 135000) LT-UNK SODIUM PHOSPHATE, DIBASIC (ANHYDROUS) LT-UNK POTASSIUM HYDROXIDE LT-P1 | SKI 2,5-FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM SALT LT-UNK AMMONIUM HYDROXIDE LT-P1 | RES | MUL | SKI | AQU SILOXANES AND SILICONES, DI-ME, REACTION PRODUCTS WITH SILICA LT-UNK 3-IODO-2-PROPYNYLBUTYL CARBAMATE BM-2 | END | SKI | MUL | MAM | AQU | EYE ]

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.0                      Regulatory (g/l): 0.0  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: GreenGuard - Indoor Air Quality Certified  
VOC emissions: GreenGuard - Gold (previously Children & Schools)  
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-02-02

PUBLISHED DATE: 2022-02-02

EXPIRY DATE: 2025-02-02

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### COPPER ARMOR INTERIOR LATEX EGGSHELL 29-1310

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG's Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: n/a

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-02-02 7:58:25

%: 40.0000 - 50.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-02-02 7:58:26

%: 19.0000 - 23.0000 GS: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. This product contains TiO<sub>2</sub> which has been classified as a GHS Carcinogen Category 2 based on its IARC 2B classification. In this case, the TiO<sub>2</sub> particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO<sub>2</sub> when the product is applied with a brush or roller. Sanding the coating surface or mist from spray applications may be harmful depending on the duration and level of exposure and require the use of appropriate personal protective equipment and/or engineering controls (see Section 8).

**BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID  
COPOLYMER (18000 MW)**

ID: 25035-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:26**

#: **19.0000 - 23.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

**NEPHELINE SYENITE**

ID: 37244-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:27**

#: **3.0000 - 6.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-  
PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-  
PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE**

ID: 36179-96-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:27**

#: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

**DIATOMACEOUS EARTH [WHICH CONTAINS 0.1% OR MORE OF  
CRYSTALLINE SILICA] (PRIMARY CASRN IS 61790-53-2)**

ID: 51109-72-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:28**

#: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)**

ID: 94-28-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:28**

#: 1.0000 - 3.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:31**

#: 0.1000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**COPPER(II) OXIDE**

ID: **1317-38-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:29**

#: 0.1000 - 0.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**C12-14 SEC-PARETH-7**

ID: **84133-50-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:30**

#: 0.1000 - 0.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**SILICON DIOXIDE**

ID: **7631-86-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:30**

#: 0.1000 - 1.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Matting agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2022-02-02 7:58:29</b>			
%: <b>0.1000 - 1.0000</b>	GS: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coating</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2022-02-02 7:58:31</b>			
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Defoamer</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### FRITS, CHEMICALS

ID: 65997-18-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2022-02-02 7:58:31</b>			
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIAMINE, \_-HYDRO-\_-HYDROXYPOLY(OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-(DIMETHYLAMINO)ETH

ID: 71195-81-8

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2022-02-02 7:58:32</b>			
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.		

**METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1 MW 135000)** ID: 25212-88-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-02-02 7:58:32		
%: 0.0100 - 0.2500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Film former
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.				

**SODIUM PHOSPHATE, DIBASIC (ANHYDROUS)** ID: 7558-79-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-02-02 7:58:33		
%: 0.0100 - 0.2500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.				

**POTASSIUM HYDROXIDE** ID: 1310-58-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-02-02 7:58:33		
%: 0.0100 - 0.2500	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.				

**2,5-FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM SALT** ID: 37199-81-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-02-02 7:58:34		
%: 0.0100 - 0.2500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

### AMMONIUM HYDROXIDE

ID: 1336-21-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:34**

%: **0.0100 - 0.1000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

### SILOXANES AND SILICONES, DI-ME, REACTION PRODUCTS WITH SILICA

ID: 67762-90-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:35**

%: **0.0100 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

### 3-IODO-2-PROPYNYLBUTYLCARBAMATE

ID: 55406-53-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-02-02 7:58:35**

%: **0.0100 - 0.1000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**



HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Indoor Air Quality Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: n/a CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/61b12af9e6729da68b6b8a9a?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/61b12af9e6729da68b6b8a9a?page_type=Products%20Catalog</a>	ISSUE DATE: 2021-12-08	EXPIRY DATE: 2023-02-07	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 253119-410			

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: n/a CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/61b12af9e6729da68b6b8a9a?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/61b12af9e6729da68b6b8a9a?page_type=Products%20Catalog</a>	ISSUE DATE: 2021-12-08	EXPIRY DATE: 2023-02-07	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 253119-420			

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: n/a CERTIFICATE URL:	ISSUE DATE: 2021-11-02	EXPIRY DATE:	CERTIFIER OR LAB: PPG
CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG FORMULA PRO	HPD URL: no HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PPG Formula Pro colorant system is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Copper Armor base paints at maximum tint load for any color, the Formula Pro tints contribute less than 8 g/L of VOC to the final tinted product.	

## Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** PPG Architectural Finishes  
**ADDRESS:** One PPG Place  
 Pittsburgh PA 15272, USA  
**WEBSITE:** www.ppgac.com

**CONTACT NAME:** Arcitectural Coaings Technical Advice Center  
**TITLE:** Technical Advisor  
**PHONE:** 1 (800) 441-9695  
**EMAIL:** techservicerequests@ppg.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*