



PAINTING SYSTEMS GUIDE TABLE OF CONTENTS

INTERIOR PAINTS & COATINGS

Brick, Concrete/Masonry *pgs.2,3,4*

Concrete/Masonry Block (CMU) *pgs.5,6,7*

Wood *pgs.8,9,10*

Ferrous Metal *pg.11*

Galvanized Metal *pg.12*

Aluminum *pg.13*

Gypsum Wallboard Drywall *pgs.14,15,16*

Plaster *pgs.17,18,19*

INTERIOR STAINS

Interior Wood *pg. 20*

EXTERIOR PAINTS & COATINGS

Brick, Concrete/Masonry & Stucco *pgs.21,22*

Concrete/Masonry Block (CMU) *pgs.23,24*

Fiber Cement Board *pgs.25,26*

Wood *pgs.27,28*

Ferrous Metal *pg.29*

Galvanized Metal *pg.30*

Aluminum *pg.31*

Gypsum Soffit Board *pgs.32,33*

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Brick, Concrete/ Masonry

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-70	SPEEDHIDE®		•	
		Topcoat	6-70	SPEEDHIDE®		•	
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1200	ULTRA-HIDE® 250		•	
		Topcoat	1200	ULTRA-HIDE® 250		•	
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1210	ULTRA-HIDE® 150		•	
		Topcoat	1210	ULTRA-HIDE® 150		•	
FLAT	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4110XI	SPEEDHIDE® zero	•		
		Topcoat	6-4110XI	SPEEDHIDE® zero	•		
FLAT	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-110	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-110	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-411	SPEEDHIDE®		•	
		Topcoat	6-411	SPEEDHIDE®		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1402	ULTRA-HIDE® 250		•	
		Topcoat	1402	ULTRA-HIDE® 250		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1412	ULTRA-HIDE® 150		•	
		Topcoat	1412	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Brick, Concrete/ Masonry

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
EGGSHELL	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4310XI	SPEEDHIDE® zero	•		
		Topcoat	6-4310XI	SPEEDHIDE® zero	•		
EGGSHELL	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-310	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-310	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Epoxy	Primer	4-603	PERMA-CRETE®			•
		Intermediate	16-310	PITT-GLAZE®			•
		Topcoat	16-310	PITT-GLAZE®			•
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-3511	SPEEDHIDE®		•	
		Topcoat	6-3511	SPEEDHIDE®		•	
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1433	ULTRA-HIDE® 150		•	
		Topcoat	1433	ULTRA-HIDE® 150		•	
SATIN	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-500	SPEEDHIDE®		•	
		Topcoat	6-500	SPEEDHIDE®		•	
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Brick, Concrete/ Masonry

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1416	ULTRA-HIDE® 150		•	
		Topcoat	1416	ULTRA-HIDE® 150		•	
SEMI-GLOSS	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-510	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-510	SPEEDHIDE® Pro-EV		•	
SEMI-GLOSS	Epoxy	Primer	4-603	PERMA-CRETE®			•
		Intermediate	16-510	PITT-GLAZE®			•
		Topcoat	16-510	PITT-GLAZE®			•
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-8534	SPEEDHIDE®			•
		Topcoat	6-8534	SPEEDHIDE®			•
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	3028	ULTRA-HIDE® 250		•	
		Topcoat	3028	ULTRA-HIDE® 250		•	
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	3038	ULTRA-HIDE® 150		•	
		Topcoat	3038	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Concrete/Masonry Block (CMU)

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-70	SPEEDHIDE®		•	
		Topcoat	6-70	SPEEDHIDE®		•	
FLAT	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	1200	ULTRA-HIDE® 250		•	
		Topcoat	1200	ULTRA-HIDE® 250		•	
FLAT	Best Commercial	Filler	6-7	PERMA-CRETE®		•	
		Intermediate	1210	ULTRA-HIDE® 150		•	
		Topcoat	1210	ULTRA-HIDE® 150		•	
FLAT	Best Commercial Environmental	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-4110XI	SPEEDHIDE® zero	•		
		Topcoat	6-4110XI	SPEEDHIDE® zero	•		
FLAT	Better Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	12-110	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-110	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-411	SPEEDHIDE®		•	
		Topcoat	6-411	SPEEDHIDE®		•	
EGGSHELL	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	1402	ULTRA-HIDE® 250		•	
		Topcoat	1402	ULTRA-HIDE® 250		•	
EGGSHELL	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	1412	ULTRA-HIDE® 150		•	
		Topcoat	1412	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Concrete/Masonry Block (CMU)

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
EGGSHELL	Best Commercial Environmental	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-4310XI	SPEEDHIDE® zero	•		
		Topcoat	6-4310XI	SPEEDHIDE® zero	•		
EGGSHELL	Better Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	12-310	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-310	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Epoxy	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	16-310	PITT-GLAZE®			•
		Topcoat	16-310	PITT-GLAZE®			•
SATIN	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-3511	SPEEDHIDE®		•	
		Topcoat	6-3511	SPEEDHIDE®		•	
SATIN	Best Commercial	Filler	4-603	SPEEDHIDE®		•	
		Intermediate	1433	ULTRA-HIDE® 150		•	
		Topcoat	1433	ULTRA-HIDE® 150		•	
SATIN	Best Commercial Environmental	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-500	SPEEDHIDE®		•	
		Topcoat	6-500	SPEEDHIDE®		•	
SEMI-GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Concrete/Masonry Block (CMU)

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	1416	ULTRA-HIDE® 150		•	
		Topcoat	1416	ULTRA-HIDE® 150		•	
SEMI-GLOSS	Best Commercial Environmental	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Better Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	12-510	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-510	SPEEDHIDE® Pro-EV		•	
SEMI-GLOSS	Epoxy	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	16-510	PITT-GLAZE®			•
		Topcoat	16-510	PITT-GLAZE®			•
GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	6-8534	SPEEDHIDE®			•
		Topcoat	6-8534	SPEEDHIDE®			•
GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	3028	ULTRA-HIDE® 250		•	
		Topcoat	3028	ULTRA-HIDE® 250		•	
GLOSS	Best Commercial	Filler	6-7	SPEEDHIDE®		•	
		Intermediate	3038	ULTRA-HIDE® 150		•	
		Topcoat	3038	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Wood

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-70	SPEEDHIDE®		•	
		Topcoat	6-70	SPEEDHIDE®		•	
FLAT	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1200	ULTRA-HIDE® 250		•	
		Topcoat	1200	ULTRA-HIDE® 250		•	
FLAT	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1210	ULTRA-HIDE® 150		•	
		Topcoat	1210	ULTRA-HIDE® 150		•	
FLAT	Best Commercial Environmental	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-4110XI	SPEEDHIDE® zero	•		
		Topcoat	6-4110XI	SPEEDHIDE® zero	•		
FLAT	Better Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	12-110	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-110	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-411	SPEEDHIDE®		•	
		Topcoat	6-411	SPEEDHIDE®		•	
EGGSHELL	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1402	ULTRA-HIDE® 250		•	
		Topcoat	1402	ULTRA-HIDE® 250		•	
EGGSHELL	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1412	ULTRA-HIDE® 150		•	
		Topcoat	1412	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Wood

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
EGGSHELL	Best Commercial Environmental	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-4310XI	SPEEDHIDE® zero	•		
		Topcoat	6-4310XI	SPEEDHIDE® zero	•		
EGGSHELL	Better Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	12-310	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-310	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Epoxy	Primer	17-951	SEAL GRIP®		•	
		Intermediate	16-310	PITT-GLAZE®			•
		Topcoat	16-310	PITT-GLAZE®			•
SATIN	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-3511	SPEEDHIDE®		•	
		Topcoat	6-3511	SPEEDHIDE®		•	
SATIN	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1433	ULTRA-HIDE® 150		•	
		Topcoat	1433	ULTRA-HIDE® 150		•	
SATIN	Best Commercial Environmental	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-500	SPEEDHIDE®		•	
		Topcoat	6-500	SPEEDHIDE®		•	
SEMI-GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Wood

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	1416	ULTRA-HIDE® 150		•	
		Topcoat	1416	ULTRA-HIDE® 150		•	
SEMI-GLOSS	Best Commercial Environmental	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Better Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	12-510	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-510	SPEEDHIDE® Pro-EV		•	
SEMI-GLOSS	Epoxy	Primer	17-951	SEAL GRIP®		•	
		Intermediate	16-510	PITT-GLAZE®			•
		Topcoat	16-510	PITT-GLAZE®			•
GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	6-8534	SPEEDHIDE®			•
		Topcoat	6-8534	SPEEDHIDE®			•
GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	3028	ULTRA-HIDE® 250		•	
		Topcoat	3028	ULTRA-HIDE® 250		•	
GLOSS	Best Commercial	Primer	17-951	SEAL GRIP®		•	
		Intermediate	3038	ULTRA-HIDE® 150		•	
		Topcoat	3038	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Ferrous Metal

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1110	PITT-TECH® Plus			•
		Topcoat	90-1110	PITT-TECH® Plus			•
SATIN	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SATIN	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-474	PITT-TECH®			
		Topcoat	90-474	PITT-TECH®			
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1210	PITT-TECH® Plus			•
		Topcoat	90-1210	PITT-TECH® Plus			•
SEMI-GLOSS	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1310	PITT-TECH® Plus			•
		Topcoat	90-1310	PITT-TECH® Plus			•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-374	PITT-TECH®			
		Topcoat	90-374	PITT-TECH®			



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Galvanized Metal

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1110	PITT-TECH® Plus			•
		Topcoat	90-1110	PITT-TECH® Plus			•
SATIN	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SATIN	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-474	PITT-TECH®			
		Topcoat	90-474	PITT-TECH®			
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1210	PITT-TECH® Plus			•
		Topcoat	90-1210	PITT-TECH® Plus			•
SEMI-GLOSS	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1310	PITT-TECH® Plus			•
		Topcoat	90-1310	PITT-TECH® Plus			•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-374	PITT-TECH®			
		Topcoat	90-374	PITT-TECH®			



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Aluminum

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1110	PITT-TECH® Plus			•
		Topcoat	90-1110	PITT-TECH® Plus			•
SATIN	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SATIN	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-474	PITT-TECH®			
		Topcoat	90-474	PITT-TECH®			
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1210	PITT-TECH® Plus			•
		Topcoat	90-1210	PITT-TECH® Plus			•
SEMI-GLOSS	Best Commercial Environmental	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus			•
		Intermediate	90-1310	PITT-TECH® Plus			•
		Topcoat	90-1310	PITT-TECH® Plus			•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®			
		Intermediate	90-374	PITT-TECH®			
		Topcoat	90-374	PITT-TECH®			



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Gypsum Wallboard-Drywall

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	6-70	SPEEDHIDE®		•	
		Topcoat	6-70	SPEEDHIDE®		•	
FLAT	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1200	ULTRA-HIDE® 250		•	
		Topcoat	1200	ULTRA-HIDE® 250		•	
FLAT	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1210	ULTRA-HIDE® 150		•	
		Topcoat	1210	ULTRA-HIDE® 150		•	
FLAT	Best Commercial Environmental	Primer	6-4900XI	SPEEDHIDE® zero	•		
		Intermediate	6-4110XI	SPEEDHIDE® zero	•		
		Topcoat	6-4110XI	SPEEDHIDE® zero	•		
FLAT	Better Commercial	Primer	12-900	SPEEDHIDE® Pro-EV		•	
		Intermediate	12-110	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-110	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Best Commercial	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	6-411	SPEEDHIDE®		•	
		Topcoat	6-411	SPEEDHIDE®		•	
EGGSHELL	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	
EGGSHELL	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1412	ULTRA-HIDE® 150		•	
		Topcoat	1412	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Gypsum Wallboard-Drywall

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
EGGSHELL	Best Commercial Environmental	Primer	6-4900XI	SPEEDHIDE® zero	•		
		Intermediate	6-4310XI	SPEEDHIDE® zero	•		
		Topcoat	6-4310XI	SPEEDHIDE® zero	•		
EGGSHELL	Better Commercial	Primer	12-900	SPEEDHIDE® Pro-EV		•	
		Intermediate	12-310	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-310	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Epoxy	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	16-310	PITT-GLAZE®			•
		Topcoat	16-310	PITT-GLAZE®			•
SATIN	Best Commercial	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	6-3511	SPEEDHIDE®		•	
		Topcoat	6-3511	SPEEDHIDE®		•	
SATIN	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1433	ULTRA-HIDE® 150		•	
		Topcoat	1433	ULTRA-HIDE® 150		•	
SATIN	Best Commercial Environmental	Primer	6-4900XI	SPEEDHIDE® zero	•		
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Best Commercial	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	6-500	SPEEDHIDE®		•	
		Topcoat	6-500	SPEEDHIDE®		•	
SEMI-GLOSS	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Gypsum Wallboard-Drywall

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Primer	1000	High Hide			•
		Intermediate	1416	ULTRA-HIDE® 150		•	
		Topcoat	1416	ULTRA-HIDE® 150		•	
SEMI-GLOSS	Best Commercial Environmental	Primer	6-4900XI	SPEEDHIDE® zero	•		
		Intermediate	6-4510XI	SPEEDHIDE® zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Better Commercial	Primer	12-900	SPEEDHIDE® Pro-EV		•	
		Intermediate	12-510	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-510	SPEEDHIDE® Pro-EV		•	
SEMI-GLOSS	Epoxy	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	16-510	PITT-GLAZE®			•
		Topcoat	16-510	PITT-GLAZE®			•
GLOSS	Best Commercial	Primer	6-2	SPEEDHIDE®		•	
		Intermediate	6-8534	SPEEDHIDE®			•
		Topcoat	6-8534	SPEEDHIDE®			•
GLOSS	Best Commercial	Primer	1000	High Hide			•
		Intermediate	3028	ULTRA-HIDE® 250		•	
		Topcoat	3028	ULTRA-HIDE® 250		•	
GLOSS	Best Commercial	Primer	1000	High Hide			•
		Intermediate	3038	ULTRA-HIDE® 150		•	
		Topcoat	3038	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Plaster

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-70	SPEEDHIDE®		•	
		Topcoat	6-70	SPEEDHIDE®		•	
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1200	ULTRA-HIDE® 250		•	
		Topcoat	1200	ULTRA-HIDE® 250		•	
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1210	ULTRA-HIDE® 150		•	
		Topcoat	1210	ULTRA-HIDE® 150		•	
FLAT	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4110XI	SPEEDHIDE® zero	•		
		Topcoat	6-4110XI	SPEEDHIDE® zero	•		
FLAT	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-110	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-110	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-411	SPEEDHIDE®		•	
		Topcoat	6-411	SPEEDHIDE®		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1402	ULTRA-HIDE® 250		•	
		Topcoat	1402	ULTRA-HIDE® 250		•	
EGGSHELL	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1412	ULTRA-HIDE® 150		•	
		Topcoat	1412	ULTRA-HIDE® 150		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Plaster

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
EGGSHELL	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4310XI	SPEEDHIDE® zero	•		
		Topcoat	6-4310XI	SPEEDHIDE® zero	•		
EGGSHELL	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-310	SPEEDHIDE® Pro-EV		•	
		Topcoat	12-310	SPEEDHIDE® Pro-EV		•	
EGGSHELL	Epoxy	Primer	4-603	PERMA-CRETE®			•
		Intermediate	16-310	PITT-GLAZE®			•
		Topcoat	16-310	PITT-GLAZE®			•
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-3511	SPEEDHIDE®		•	
		Topcoat	6-3511	SPEEDHIDE®		•	
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1433	ULTRA-HIDE® 150		•	
		Topcoat	1433	ULTRA-HIDE® 150		•	
SATIN	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4410XI	SPEEDHIDE® zero	•		
		Topcoat	6-4410XI	SPEEDHIDE® zero	•		
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-500	SPEEDHIDE®		•	
		Topcoat	6-500	SPEEDHIDE®		•	
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1406	ULTRA-HIDE® 250		•	
		Topcoat	1406	ULTRA-HIDE® 250		•	



INTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry, Concrete/Masonry Block (CMU), Wood, Ferrous Metal, Galvanized Metal, Aluminum, Gypsum Wallboard Drywall, and Plaster

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Plaster

Sheen	Quality	System Component	Code	Trade Name	VOC 0g/L	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	1416	ULTRA-HIDE® 150		•	
		Topcoat	1416	ULTRA-HIDE® 150		•	
SEMI-GLOSS	Best Commercial Environmental	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-4510XI	SPEEDHIDE® Zero	•		
		Topcoat	6-4510XI	SPEEDHIDE® Zero	•		
SEMI-GLOSS	Better Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	12-510	SPEEDHIDE® ProEV		•	
		Topcoat	12-510	SPEEDHIDE® ProEV		•	
SEMI-GLOSS	Epoxy	Primer	4-603	PERMA-CRETE®			•
		Intermediate	16-510	PITT-GLAZE®			•
		Topcoat	16-510	PITT-GLAZE®			•
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	6-8534	SPEEDHIDE®			•
		Topcoat	6-8534	SPEEDHIDE®			•
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	3028	ULTRA-HIDE® 250		•	
		Top Coat	3028	ULTRA-HIDE® 250		•	
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®			•
		Intermediate	3038	ULTRA-HIDE® 150		•	
		Topcoat	3038	ULTRA-HIDE® 150		•	



INTERIOR STAINS SYSTEMS GUIDE

Polyurethane and Water-Based Polyurethane

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Interior Wood

Sheen	Quality	System Component	Code	Trade Name	VOC <250 g/L	VOC <350 g/L
GLOSS	Polyurethane	Stain	400	DEFT®	•	
		First Coat	127	DEFT®		•
		Second Coat	127	DEFT®		•
SEMI-GLOSS	Polyurethane	Stain	400	DEFT®	•	
		First Coat	128	DEFT®		•
		Second Coat	128	DEFT®		•
SATIN	Polyurethane	Stain	400	DEFT®	•	
		First Coat	129	DEFT®		•
		Second Coat	129	DEFT®		•
GLOSS	Water-Based Polyurethane	Stain	400	DEFT®	•	
		First Coat	157	DEFT®		•
		Second Coat	157	DEFT®		•
SEMI-GLOSS	Water-Based Polyurethane	Stain	400	DEFT®	•	
		First Coat	158	DEFT®	•	
		Second Coat	158	DEFT®	•	
SATIN	Water-Based Polyurethane	Stain	400	DEFT®	•	
		First Coat	159	DEFT®	•	
		Second Coat	159	DEFT®	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Brick, Concrete/ Masonry & Stucco

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
FLAT	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2210	ULTRA-HIDE® 150	•	
		Topcoat	2210	ULTRA-HIDE® 150	•	
FLAT	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-110	SPEED CRYL™	•	
		Topcoat	56-110	SPEED CRYL™	•	
FLAT	High Build	Primer	4-2	PERMA-CRETE®		•
		Intermediate	4-22	PERMA-CRETE®		•
		Topcoat	4-22	PERMA-CRETE®		•
FLAT	Textured	Primer	4-603	PERMA-CRETE®		•
		Intermediate	4-50 Series	PERMA-CRETE®		•
		Topcoat	4-50 Series	PERMA-CRETE®		•
FLAT	Elastomeric	Primer	4-603	PERMA-CRETE®		•
		Intermediate	4-110	PERMA-CRETE®		•
		Topcoat	4-110	PERMA-CRETE®		•
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-2045XI	SPEEDHIDE®	•	
		Topcoat	6-2045XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2412	ULTRA-HIDE® 150	•	
		Topcoat	2412	ULTRA-HIDE® 150	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Brick, Concrete/ Masonry & Stucco

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
SATIN	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-410	SPEED CRYL™	•	
		Topcoat	56-410	SPEED CRYL™	•	
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-900XI	SPEEDHIDE®	•	
		Topcoat	6-900XI	SPEEDHIDE®	•	
SEMI-GLOSS	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2416	ULTRA-HIDE® 150	•	
		Topcoat	2416	ULTRA-HIDE® 150	•	
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Concrete/Masonry Block (CMU)

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
FLAT	Best Commercial	Block Filler	3010	PERMA-CRETE®	•	
		Intermediate	2210	ULTRA-HIDE® 150	•	
		Topcoat	2210	ULTRA-HIDE® 150	•	
FLAT	Better Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	56-110	SPEED CRYL™	•	
		Topcoat	56-110	SPEED CRYL™	•	
FLAT	High Build	Block Filler	4-100	PERMA-CRETE®	•	
		Intermediate	4-22	PERMA-CRETE®	•	
		Topcoat	4-22	PERMA-CRETE®	•	
FLAT	Textured	Block Filler	4-100	PERMA-CRETE®	•	
		Intermediate	4-50 Series	PERMA-CRETE®	•	
		Topcoat	4-50 Series	PERMA-CRETE®	•	
FLAT	Elastomeric	Block Filler	4-100	PERMA-CRETE®		•
		Intermediate	4-110	PERMA-CRETE®		•
		Topcoat	4-110	PERMA-CRETE®		•
SATIN	Best Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	6-2045XI	SPEEDHIDE®	•	
		Topcoat	6-2045XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Block Filler	3010	PERMA-CRETE®	•	
		Intermediate	2412	ULTRA-HIDE® 150	•	
		Topcoat	2412	ULTRA-HIDE® 150	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Concrete/Masonry Block (CMU)

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
SATIN	Better Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	56-410	SPEED CRYL™	•	
		Topcoat	56-410	SPEED CRYL™	•	
SEMI-GLOSS	Best Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	6-900XI	SPEEDHIDE®	•	
		Topcoat	6-900XI	SPEEDHIDE®	•	
SEMI-GLOSS	Best Commercial	Block Filler	3010	PERMA-CRETE®	•	
		Intermediate	2416	ULTRA-HIDE® 150	•	
		Topcoat	2416	ULTRA-HIDE® 150	•	
GLOSS	Best Commercial	Block Filler	6-15	SPEEDHIDE®	•	
		Intermediate	90-1310	PERMA-CRETE®		•
		Topcoat	90-1310	PERMA-CRETE®		•



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Fiber Cement Board

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
FLAT	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2210	ULTRA-HIDE® 150	•	
		Topcoat	2210	ULTRA-HIDE® 150	•	
FLAT	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-110	SPEED CRYL™	•	
		Topcoat	56-110	SPEED CRYL™	•	
FLAT	High Build	Primer	4-2	PERMA-CRETE®		•
		Intermediate	4-22	PERMA-CRETE®		•
		Topcoat	4-22	PERMA-CRETE®		•
FLAT	Textured	Primer	4-603	PERMA-CRETE®		•
		Intermediate	4-50 Series	PERMA-CRETE®		•
		Topcoat	4-50 Series	PERMA-CRETE®		•
FLAT	Elastometric	Primer	4-603	PERMA-CRETE®		•
		Intermediate	4-110	PERMA-CRETE®		•
		Topcoat	4-110	PERMA-CRETE®		•
SATIN	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-2045XI	SPEEDHIDE®	•	
		Topcoat	6-2045XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2412	ULTRA-HIDE® 150	•	
		Topcoat	2412	ULTRA-HIDE® 150	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Fiber Cement Board

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
SATIN	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-410	SPEED CRYL™	•	
		Topcoat	56-410	SPEED CRYL™	•	
SEMI-GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	6-900XI	SPEEDHIDE®	•	
		Topcoat	6-900XI	SPEEDHIDE®	•	
SEMI-GLOSS	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2416	ULTRA-HIDE® 150	•	
		Topcoat	2416	ULTRA-HIDE® 150	•	
GLOSS	Best Commercial	Primer	4-603	PERMA-CRETE®		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Wood

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
FLAT	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2210	ULTRA-HIDE® 150	•	
		Topcoat	2210	ULTRA-HIDE® 150	•	
FLAT	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-110	SPEED CRYL™	•	
		Topcoat	56-110	SPEED CRYL™	•	
SATIN	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-2045XI	SPEEDHIDE®	•	
		Topcoat	6-2045XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2412	ULTRA-HIDE® 150	•	
		Topcoat	2412	ULTRA-HIDE® 150	•	
SATIN	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-410	SPEED CRYL™	•	
		Topcoat	56-410	SPEED CRYL™	•	
SEMI-GLOSS	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-900XI	SPEEDHIDE®	•	
		Topcoat	6-900XI	SPEEDHIDE®	•	
SEMI-GLOSS	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2416	ULTRA-HIDE® 150	•	
		Topcoat	2416	ULTRA-HIDE® 150	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Wood

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
GLOSS	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Ferrous Metal

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Better Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1110	PITT-TECH® Plus		•
		Topcoat	90-1110	PITT-TECH® Plus		•
SATIN	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-474	PITT-TECH®		
		Topcoat	90-474	PITT-TECH®		
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1210	PITT-TECH® Plus		•
		Topcoat	90-1210	PITT-TECH® Plus		•
SEMI-GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	7-374	7-Line		•
		Topcoat	7-374	7-Line		•
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-374	PITT-TECH®		
		Topcoat	90-374	PITT-TECH®		



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Galvanized Metal

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1110	PITT-TECH® Plus		•
		Topcoat	90-1110	PITT-TECH® Plus		•
SATIN	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-474	PITT-TECH®		
		Topcoat	90-474	PITT-TECH®		
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1210	PITT-TECH® Plus		•
		Topcoat	90-1210	PITT-TECH® Plus		•
SEMI-GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	7-374	7-Line		•
		Topcoat	7-374	7-Line		•
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-374	PITT-TECH®		
		Topcoat	90-374	PITT-TECH®		



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Aluminum

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1110	PITT-TECH® Plus		•
		Topcoat	90-1110	PITT-TECH® Plus		•
SATIN	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-474	PITT-TECH®		
		Topcoat	90-474	PITT-TECH®		
SEMI-GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1210	PITT-TECH® Plus		•
		Topcoat	90-1210	PITT-TECH® Plus		•
SEMI-GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	7-374	7-Line		•
		Topcoat	7-374	7-Line		•
GLOSS	Best Commercial	Primer	90-912	PITT-TECH® Plus		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•
GLOSS	Better Commercial	Primer	90-712	PITT-TECH®		
		Intermediate	90-374	PITT-TECH®		
		Topcoat	90-374	PITT-TECH®		



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Gypsum Soffit Board

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
FLAT	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-610XI	SPEEDHIDE®	•	
		Topcoat	6-610XI	SPEEDHIDE®	•	
FLAT	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2210	ULTRA-HIDE® 150	•	
		Topcoat	2210	ULTRA-HIDE® 150	•	
FLAT	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-110	SPEED CRYL™	•	
		Topcoat	56-110	SPEED CRYL™	•	
FLAT	High Build	Primer	17-921	SEAL GRIP®		•
		Intermediate	4-22	PERMA-CRETE®		•
		Topcoat	4-22	PERMA-CRETE®		•
FLAT	Textured	Primer	17-921	SEAL GRIP®		•
		Intermediate	4-50 Series	PERMA-CRETE®		•
		Topcoat	4-50 Series	PERMA-CRETE®		•
SATIN	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-2045XI	SPEEDHIDE®	•	
		Topcoat	6-2045XI	SPEEDHIDE®	•	
SATIN	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2412	ULTRA-HIDE® 150	•	
		Topcoat	2412	ULTRA-HIDE® 150	•	
SATIN	Better Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	56-410	SPEED CRYL™	•	
		Topcoat	56-410	SPEED CRYL™	•	



EXTERIOR PAINTS SYSTEMS GUIDE

Brick, Concrete/Masonry & Stucco, Concrete/Masonry Block (CMU), Fiber Cement Board, Wood, Ferrous Metal, Galvanized Metal, Aluminum, and Gypsum Soffit Board

This chart is intended to represent a general guide on paint and coating systems that are available through PPG PAINTS™ and is a small sampling of systems available. Recommendations may vary based on climate, location of substrate, surroundings, etc. Please contact your local Architecture Representative for other suggestions.

Gypsum Soffit Board

Sheen	Quality	System Component	Code	Trade Name	VOC <50 g/L	VOC <100 g/L
SEMI-GLOSS	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	6-900XI	SPEEDHIDE®	•	
		Topcoat	6-900XI	SPEEDHIDE®	•	
SEMI-GLOSS	Best Commercial	Primer	6001	HYDROSEALER		•
		Intermediate	2416	ULTRA-HIDE® 150	•	
		Topcoat	2416	ULTRA-HIDE® 150	•	
GLOSS	Best Commercial	Primer	17-921	SEAL GRIP®		•
		Intermediate	90-1310	PITT-TECH® Plus		•
		Topcoat	90-1310	PITT-TECH® Plus		•