

HPD UNIQUE IDENTIFIER: 29951

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: Speedhide Pro EV Zero Interior Wall & Ceiling Latex Flat is a durable, quality interior vinyl acrylic paint designed for new and repaint applications where speed of application is most important in both the commercial and multi-family markets. This zero-VOC, low odor paint enables a space to be painted while occupied while delivering the durable product performance required. Speedhide Pro EV Zero Interior Wall & Ceiling paint has good adhesion, touch-up and application properties on walls, ceilings and trim surfaces. Speedhide Pro EV Zero is recommended on interior walls, ceilings and trim where a flat finish is desirable.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

12-110XI SPEEDHIDE PRO EV ZERO FLAT WHITE & PASTEL BASE | WATER BM-4 NEPHELINE SYENITE LT-UNK | 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE LT-UNK | CLAY LT-UNK | CAN | TITANIUM DIOXIDE LT-1 | CAN | END || MAM KAOLIN, CALCINED LT-UNK | SILICA, AMORPHOUS LT-P1 | CAN | MAM TALC BM-1 | CAN || MAM HEXANOIC ACID, 2-ETHYL-, 1,2-ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER LT-UNK | POLY(OXY-1,2-ETHANEDIYL), α-(PHENYLMETHYL)-ω-[(1,1,3,3-TETRAMETHYLBUTYL)PHENOXY]- LT-UNK | SKI | EYE ALCOHOLS, C9-11, ETHOXYLATED PROPOXYLATED(NOTE: POLYMERIC SUBSTANCES MAY BE PLACED ON THE MARKET WITH A RANGE OF MOLECULAR WEIGHTS WHICH WILL AFFECT THE TOXICOLOGICAL PROPERTIES OF THE SUBSTANCE. THE CLASSIFICATIONS NEED NOT APPLY IF IT CAN BE SHOWN THAT THE SUBSTANCE PLACED ON THE MARKET DOES NOT MEET THE CRITERIA FOR CLASSIFICATION; NOTE 2: THE CLASSIFICATION FOR SKIN IRRITATION NEED NOT APPLY IF IT CAN BE SHOWN THAT THERE ARE LESS THAN FOUR OR MORE THAN 21 ETHOXYLATE UNITS) LT-UNK | SKI | MAM | AQU | EYE CELLULOSE, 2-HYDROXYETHYL ETHER LT-P1 | END 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK | ALUMINUM HYDROXIDE BM-2 | SKI | EYE | POLY[OXY(METHYL-1,2-ETHANEDIYL)], α-HYDRO-ω-HYDROXY- LT-P1 | EYE | HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIAMINE, α-HYDRO-ω-HYDROXYPOLY(OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.98% of the product weight meet the 1000ppm threshold and are screened.

(DIMETHYLAMINO)ETHA **LT-UNK** ALCOHOLS, C12-14-SECONDARY,
ETHOXYLATED **LT-UNK** EYE | SKI | AQU 1,2-BENZISOTHIAZOL-
3(2H)-ONE **LT-P1** | SKI | MUL | AQU | EYE | MAM 3(2H)-
ISOTHIAZOLONE, 2-METHYL- **BM-2** | END | SKI | MUL | AQU | MAM |
EYE AMORPHOUS SILICA **BM-1** | CAN | | MAM CALCIUM
MAGNESIUM CARBONATE **NoGS** CARBONIC ACID, MAGNESIUM
SALT (1:1) **BM-3dg** | CHLORITE-GROUP MINERALS **NoGS** NITRIC
ACID SODIUM SALT **LT-P1** | END | | MAM | GEN | EYE | PHY OXIRANE,
2-ETHYL-, POLYMER WITH OXIRANE, MONO-C11-15-SEC-ALKYL
ETHERS **NoGS** POLY(OXY-1,2-ETHANEDIYL), α-HYDRO-ω-
HYDROXY- **LT-UNK** | POTASSIUM HYDROXIDE **LT-P1** | SKI | | MAM |
EYE QUARTZ **BM-1** | CAN | | MAM | GEN SILOXANES AND SILICONES,
DI-ME, POLYMERS WITH ME SILSESQUIOXANES AND
POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-BU ETHER
NoGS |

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): 0
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the
base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: GreenGuard
VOC emissions: GreenGuard Gold
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor
coatings, non flat coatings, quick dry enamels, roof coatings only - 2007
amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2022-09-26
PUBLISHED DATE: 2022-09-26
EXPIRY DATE: 2025-09-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

12-110XI SPEEDHIDE PRO EV ZERO FLAT WHITE & PASTEL BASE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residual and impurities were considered based on direct testing via appropriate method such as HPLC for PPG manufactured raw materials or by supplier disclosure letters for purchased raw materials which were typically supplied referencing a 1000ppm threshold. No residuals or impurities are expected to be present at or above the Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-26 17:33:07

#: 45.0000 - 55.0000 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-09-26 17:33:08

#: 10.0000 - 14.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE

ID: 25067-01-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:08**

%: **6.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

CLAY

ID: 1332-58-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:09**

%: **6.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:10**

%: **6.0000 - 10.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

KAOLIN, CALCINED

ID: 92704-41-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:10**

%: **3.0000 - 6.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Half-Circle - Expected Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

SILICA, AMORPHOUS

ID: 61790-53-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:11**

%: **3.0000 - 6.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A-1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:12**

%: **1.0000 - 3.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HEXANOIC ACID, 2-ETHYL-, 1,2-ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER

ID: 94-28-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-09-26 17:33:12**

%: **0.6000 - 1.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

POLY(OXY-1,2-ETHANEDIYL), α -(PHENYLMETHYL)- ω -[(1,1,3,3-TETRAMETHYLBUTYL)PHENOXY]-

ID: **60864-33-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-09-26 17:33:13**

%: **0.3000 - 0.6100**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Watch List
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals Watch List Substances Considered for Inclusion in the Living Building Challenge Red List

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

ALCOHOLS, C9-11, ETHOXYLATED PROPOXYLATED(NOTE: POLYMERIC SUBSTANCES MAY BE PLACED ON THE MARKET WITH A RANGE OF MOLECULAR WEIGHTS WHICH WILL AFFECT THE TOXICOLOGICAL PROPERTIES OF THE SUBSTANCE. THE CLASSIFICATIONS NEED NOT APPLY IF IT CAN BE SHOWN THAT THE SUBSTANCE PLACED ON THE MARKET DOES NOT MEET THE CRITERIA FOR CLASSIFICATION; NOTE 2: THE CLASSIFICATION FOR SKIN IRRITATION NEED NOT APPLY IF IT CAN BE SHOWN THAT THERE ARE LESS THAN FOUR OR MORE THAN 21 ETHOXYLATE UNITS)

ID: **103818-93-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2022-09-26 17:33:13**

%: **0.3000 - 0.6000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

CELLULOSE, 2-HYDROXYETHYL ETHER

ID: 9004-62-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:14		
%: 0.3000 - 0.6000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 36179-96-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:14		
%: 0.1000 - 0.3200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:16		
%: 0.1000 - 0.3000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

POLY[OXY(METHYL-1,2-ETHANEDIYL)], α-HYDRO-ω-HYDROXY-

ID: 25322-69-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:17		
%: 0.1000 - 0.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
EYE	GHS - New Zealand	Eye irritation category 2		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL		
		Yellow Triangle - best available in class but some hazard profile issues		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIAMINE, α-HYDRO-ω-HYDROXYPOLY(OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-(DIMETHYLAMINO)ETHA

ID: 71195-81-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:16**

%: **0.1000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

ALCOHOLS, C12-14-SECONDARY, ETHOXYLATED

ID: 84133-50-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:15**

%: **0.1000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

1,2-BENZISOTHIAZOL-3(2H)-ONE

ID: 2634-33-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:18**

%: **0.0100 - 0.1000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin Sensitization - Category 1A]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals Priority for Inclusion in the Living Building Challenge Red List

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

3(2H)-ISOTHIAZOLONE, 2-METHYL-

ID: 2682-20-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:18**

%: **0.0100 - 0.1000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals Priority for Inclusion in the Living Building Challenge Red List

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

AMORPHOUS SILICA

ID: 7631-86-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:19**

%: **0.0100 - 0.1000**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

CALCIUM MAGNESIUM CARBONATE

ID: 16389-88-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:20**

#: **0.0100 - 0.1000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

CARBONIC ACID, MAGNESIUM SALT (1:1)

ID: 546-93-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:20**

#: **0.0100 - 0.1000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

CHLORITE-GROUP MINERALS

ID: 1318-59-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:21		
%: 0.0100 - 0.1000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

NITRIC ACID SODIUM SALT

ID: 7631-99-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:22		
%: 0.0100 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
	EC - CEPA DSL	Persistent		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]		
PHY	GHS - Korea	H272 - May intensify fire; oxidizer [Oxidizing solids - Category 2]		

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

OXIRANE, 2-ETHYL-, POLYMER WITH OXIRANE, MONO-C11-15-SEC-ALKYL ETHERS

ID: 1022990-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:22		
%: 0.0100 - 0.1000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

POLY(OXY-1,2-ETHANEDIYL), α-HYDRO-ω-HYDROXY-

ID: 25322-68-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:23		
%: 0.0100 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Half-Circle - Expected Low Concern		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

POTASSIUM HYDROXIDE

ID: 1310-58-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:23		
%: 0.0100 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - New Zealand	Acute oral toxicity category 3
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-09-26 17:33:24**

%: **0.0100 - 0.1000**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

SILOXANES AND SILICONES, DI-ME, POLYMERS WITH ME SILSESQUIOXANES AND POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-BU ETHER

ID: 68554-65-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-09-26 17:33:25		
%: 0.0100 - 0.1000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-07-27	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	EXPIRY DATE: 2023-02-07	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1f04355b0e82d946aba29?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: Certificate #46384-410		

VOC EMISSIONS	GreenGuard Gold	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-07-27	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	EXPIRY DATE: 2023-02-07	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1f04355b0e82d946aba29?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: Certificate #46384-410		

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-09-25	CERTIFIER OR LAB: No Lab
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-09-27	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG FUTURITY AND HS COLORANTS

MANUFACTURER (OR GENERIC): PPG Industries

HPD URL: No HPD Available
ACCESSORY TYPE: Colorant System
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Colorants added to this base paint may increase VOC level significantly depending on color choice. However, PPG Futurity and PPG HS colorants (96-xxxXI, 96-xxx, 96-xxxx, 96-xxxxx), even if used at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product.

Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes
ADDRESS: One PPG Place
 Pittsburgh PA 15272, United States
WEBSITE: www.ppgac.com

CONTACT NAME: Steve McQuown
TITLE: Senior Product Sustainability Specialist
PHONE: 1-724-325-5074
EMAIL: mcquown@ppg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.